

BIOSILD^{TOP}™

SEED TREATMENT FOR WHEAT AND BARLEY



BIOSILD^{TOP}™

WHAT IS BIOSILD TOP?

BIOSILD TOP is a seed treatment for wheat and barley for the control of the principal seedborne diseases and soil-borne bunt.

BIOSILD TOP comes with a new highly concentrated liquid formulation. It can easily be mixed with any quantity of water and recommended insecticides.

The new formulation provides an advance sticking agent which prohibits dusting and the modern colour makes the excellent seed coverage visible. The low dosage and easy handling provide a convenient and fast application with excellent covering quality.

QUICK FACTS:

Brand:	BIOSILD TOP™
Product Group:	seed treatment
Crops:	spring wheat, winter wheat, spring barley, winter barley
A.I.:	350 g/L Thiophanate-methyl + 20 g/L Tetraconazole
Formulation:	FS
Max. individual Dose:	1 L/t



BIOSILD^{TOP}™



MODE OF ACTION:

Thiophanate-methyl acts systemically. It is absorbed and acropetally translocated within the plant tissues. Thiophanate- methyl inhibits the development of germ tubes, the penetration into plant tissue and the growth of mycelia.

Tetraconazole from the Triazole group is easily absorbable and fast translocated within the plant. It provides long lasting protective action and curative action.



BIOSILD^{TOP}™

BIOLOGICAL PERFORMANCE:


The recommended dose rate is 0.75 to 1.5 litres per hectare depending on the type of weeds present.

Crop	Disease	dosage (l/t)	water (l/t)
winter wheat	Tilletia caries (Common / Rough-spored / Stinking bunt of wheat), Ustilago tritici (Loose smut), Fusarium spp. and other fungi.	1,0	10-20
winter and spring barley	Helminthosporium gramineum, Ustilago nuda, Microdochium nivale	1,0	10-20



BIOSILD^{TOP}™

TRIAL RESULTS:



Plant-protection station, Debrecen-Hungary, 2006, Summit-Agro

The information provided in this Product Information is correct to the best of our knowledge at the date of its publication. It is designed only as guidance and is not to be considered a warranty or quality specification, since the conditions of use are beyond our control. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials. Sumi Agro Europe disclaims any liability for loss or damage resulting from the use of these data, information or suggestions.

ALWAYS READ THE LABEL: USE PESTICIDES SAFELY

